



300 Armistice Boulevard  
 Pawtucket, RI 02861-2332  
 PH: 800-458-7839 / 401-722-5023  
 FX: 401-722-9938



### ALUMINUM SMOOTH

Inner Dia. (ID")	Length (L")	Pierce Dia. (P")	Gauge "	Item #	Description
.380	.718	.266	.024	951-950	375MCA
.450	.500	.266	.024	951-956	450MCA
.500	.500	.328	.024	951-944	624B ALUM
.525	.720	.406	.024	951-945	525 ALUM
.550	.550	.406	.024	951-940	550 MCA
.550	.625	.354	.025	951-389	550 ALUM
.625	1.000	.453	.024	951-915	7327A ALUM
.625	.550	.453	.024	951-937	625 MCA
.656	.968	.453	.024	951-763	7328B ALUM
.675	.516	.500	.024	951-929	GG ALUM
.750	.531	.500	.024	951-925	DD ALUM
.827	.874	.564	.024	951-286	875AA ALUM
.875	.844	.600	.024	951-465	7244 ALUM



### BRASS OVAL

Inner Dia. (ID")	Length (L")	Pierce Dia. (P")	Gauge"	Item #	Description
.453 X .906	.469	NA	.017	951-112	24609 OVAL FERR
.474 X .943	.469	NA	.017	951-618	9979 OVAL FERR
.535 X 1.071	.750	NA	.024	951-617	9940P OVAL FERR
.595 X 1.110	.750	NA	.024	951-558	9593 OVAL FERR
.700 X 1.325	.750	NA	.024	951-111	8337 OVAL FERR



300 Armistice Boulevard  
 Pawtucket, RI 02861-2332  
 PH:800-458-7839/401-722-5023  
 FX:401-722-9938



**BRASS RIBBED**

Inner Dia. (ID")	Length (L")	Pierce Dia. (P")	Gauge"	Item #	Description
.550	.750	.450	.019	TBD	550 RIB FERRULE
.575	.750	.450	.019	TBD	575 RIB FERRULE
.600	.750	.450	.019	951-273	600 RIB FERULE
.500	.750	.560	.019	951-337	650 RIB FERRULE
.675	.750	.560	.019	951-189	675 RIB FERRULE
.700	.750	.550	.019	951-889	700 RIB FERRULE
.720	.750	.560	.019	951-347	720 RIB FERRULE
.730	.850	.575	.019	951-122	730 RIB FERRULE
.760	.850	.635	.019	951-344	760A RIB FERRULE
.760	.850	.575	.019	951-064	760 RIB FERRULE
.775	.850	.635	.019	951-288	775 RIB FERRULE
.800	.850	.690	.019	951-666	800 RIB FERRULE
.810	.850	.690	.019	951-175	810 RIB FERRULE
.825	.850	.690	.019	951-091	825 RIB FERRULE
.850	.850	.690	.019	951-098	850 RIB FERRULE
.875	.850	.690	.022	951-199	875 RIB FERRULE
.900	.850	.690	.022	951-208	900 RIB FERRULE
.950	.875	.685	.022	951-113	950 RIB FERRULE
.950	.875	.810	.022	951-887	950A RIB FERRULE
.950	.875	.635	.022	951-464	950B RIB FERRULE
1.000	.875	.810	.022	951-573	1.000 RIB FERRULE
1.050"	.875	.810	.022	951-388	1.050 RIB FERRULE

*Note - Short brass and stainless steel rib ferrules are available in limited sizes. Please inquire.*



300 Armistice Boulevard  
 Pawtucket, RI 02861-2332  
 PH:800-458-7839/401-722-5023  
 FX:401-722-9938



## BRASS SMOOTH

Inner Dia. (ID")	Length (L")	Pierce Dia.(P")	Gauge "	Item #	Description
.275	.500	.217	.016	951-253	275 MC
.330	.484	.250	.016	951-562	6231
.358	.500	.266	.016	951-550	833
.380	.718	.266	.016	951-250	375 MC
.380	.500	.266	.016	951-544	622
.410	.500	.266	.016	951-545	620
.450	.562	.344	.016	951-549	769
.450	1.000	.245	.024	951-102	7320
.450	.562	.250	.016	951-771	769B
.450	.500	.266	.016	951-251	450MC
.450	1.000	.344	.019	951-621	769-1
.478	.688	.328	.024	951-522	4750
.500	1.000	.344	.024	951-509	7322
.500	.720	.320	.019	951-475	500
.500	.500	.344	.016	951-546	624
.500	.500	.328	.016	951-244	624B
.500	.625	.344	.016	951-560	624A
.500	.500	.328	.016	951-356	624B FLARE
.520	.600	.360	.016	951-226	520
.525	.500	.344	.016	951-547	625
.525	.718	.406	.024	951-068	525FBL
.525	.625	.344	.016	951-554	625A
.528	1.000	.375	.024	951-510	7323
.528	.500	.375	.024	951-239	7323 SHORT
.528	1.000	.315	.024	951-196	528 (24307)
.528	1.000	.438	.024	951-511	7324
.530	.750	.375	.024	951-059	530 (20571)
.540	.630	.358	.020	951-413	540
.548	.484	.375	.016	951-548	626
.550	.550	.406	.016	951-245	550 MC
.550	.720	.340	.020	TBD	550 ALT
.550	.750	.406	.019	951-958	550FLR
.562	1.000	.438	.024	951-512	7325
.562	1.000	.375	.024	951-508	7325B
.564	.750	.375	.019	951-543	3588
.564	.500	.420	.019	951-279	3588 SHORT



300 Armistice Boulevard  
 Pawtucket, RI 02861-2332  
 PH:800-458-7839/401-722-5023  
 FX:401-722-9938



### BRASS SMOOTH (Continued)

Inner Dia. (ID")	Length (L")	Pierce Dia.(P")	Gauge "	Item #	Description
.575	.968	.406	.024	951-242	0.575 (7310-1494)
.575	.484	.375	.019	951-556	KKB
.575	.484	.468	.019	951-541	KK
.580	.720	.358	.019	951-416	580
.593	1.000	.438	.024	951-513	7326
.593	1.000	.368	.024	951-274	7326A
.593	1.000	.375	.024	951-227	7326B (24521)
.600	.500	.500	.019	951-540	JJ
.615	.655	.360	.020	TBD	615
.625	1.000	.438	.024	951-514	7327
.625	.500	.500	.019	951-539	II
.625	1.000	.375	.024	951-557	24522
.625	1.000	.453	.024	951-243	7327A
.625	.550	.453	.019	951-249	625 MC
.625	.500	.318	.019	951-852	1483-8B
.640	1.000	.437	.024	951-232	FBR-0640
.645	.312	.385	.024	951-298	0.645
.650	.500	.500	.019	951-538	HH
.650	.500	.438	.019	951-502	HHB
.653	.488	.350	.040	951-170	653 (R75-0602)
.656	1.000	.438	.024	951-515	7328
.656	1.000	.375	.024	951-065	7328A
.675	.516	.500	.019	951-537	GG
.687	1.000	.500	.024	951-516	7329
.687	1.000	.438	.024	951-587	7329B
.700	.516	.500	.019	951-536	FF
.700	1.000	.500	.024	951-197	FBL 700
.718	1.000	.500	.024	951-551	7330B
.718	1.000	.625	.024	951-517	7330
.718	1.000	.318	.024	951-632	7330C
.718	1.000	.470	.024	951-236	7330D (24525)
.725	.531	.500	.019	951-535	EE
.725	.968	.450	.024	951-237	725 (7310-1495)
.725	.531	.318	.019	951-561	EEB
.750	1.000	.500	.024	951-552	7331B
.750	1.000	.625	.024	951-518	7331
.750	.531	.500	.019	951-534	DD
.781	1.000	.625	.024	951-519	7332
.781	1.000	.563	.024	951-314	7332A
.781	1.000	.500	.024	951-553	7332B
.781	1.000	.318	.024	951-565	7332D
.781	1.000	.438	.024	951-593	7332C



300 Armistice Boulevard  
 Pawtucket, RI 02861-2332  
 PH:800-458-7839/401-722-5023  
 FX:401-722-9938



**BRASS SMOOTH (Continued)**

Inner Dia. (ID")	Length (L")	Pierce Dia. (P")	Gauge "	Item #	Description
.800	.844	.688	.024	951-076	BF800
.812	.845	.446	.024	951-377	812
.812	1.000	.625	.024	951-520	7333
.825	.844	.688	.024	951-084	BF825
.850	.563	.688	.019	951-542	Z
.875	.844	.688	.024	951-523	7244A
.875	.844	.565	.024	951-623	7244C
.875	.844	.318	.024	951-566	7244B
.900	.844	.688	.024	951-524	5029A
.925	.810	.688	.024	951-089	925 (24623)
.932	.845	.566	.024	951-395	932
.937	.844	.688	.024	951-525	7242A
.950	1.245	.630	.024	951-494	950
.975	.844	.688	.024	951-526	5028A
1.025	.844	.693	.024	951-528	7114A
1.025	.844	.875	.024	951-567	7114B
1.025	.844	.812	.024	951-639	7114C
1.050	.844	.781	.024	951-164	7145B
1.050	.844	.767	.024	951-503	7145C
1.050	.844	.693	.024	951-529	7145A
1.100	.844	.812	.024	951-530	5027A
1.100	.844	.767	.024	951-646	5027C
1.125	.875	.875	.025	951-635	5234
1.150	.844	.875	.024	951-531	7104A
1.175	.844	.875	.024	951-532	7088A
1.218	1.500	.875	.024	772-275	1.218 FERRULE
1.375	.875	1.125	.024	951-267	1375 MC



## STAINLESS STEEL SMOOTH

Inner Dia. (ID")	Length (ID")	Pierce Dia. (P")	Gauge"	Item #	Description
.450	0.562	.344	.015	952-294	769 SST
.528	1.000	.375	.025	952-295	7323 SST
.528	1.000	.438	.025	952-978	7324 SST
.562	1.000	.438	.025	952-625	7325 SST
.564	0.750	.375	.019	952-331	3588 SST
.564	0.750	.385	.019	952-960	3588A SST
.570	0.730	.320	.019	951-346	.570 FLR SST
.593	1.000	.438	.025	952-977	7326 SST
.625	1.000	.438	.025	952-830	7327 SST
.656	1.000	.438	.025	952-701	7328 SST
.687	1.000	.500	.025	952-702	7329 SST
.718	1.000	.625	.025	952-974	7330 SST
.718	1.000	.500	.025	952-296	7330B SST
.750	1.000	.625	.025	952-629	7331 SST
.781	1.000	.625	.025	952-965	7332 SST
.812	1.000	.625	.025	952-973	7333 SST
.875	.844	.688	.025	952-297	7244A SST
.906	1.250	.625	.025	952-364	.906 SST
1.175	.844	.875	.025	952-828	7088A SST
1.218	1.500	.625	.025	952-366	1.218 SST



## STEEL SMOOTH

Inner Dia. (ID")	Length (L")	Pierce Dia. (P")	Gauge"	Item #	Description
.562	1.000	.375	.025	952-303	7325B PLTD STEEL
.625	1.000	.375	.025	952-304	7327A PLTD STEEL
.687	1.000	.438	.025	952-308	7329 PLTD STEEL
.906	1.250	.625	.030	952-159	.906 PLTD STEEL
.995	.788	.740	.030	951-072	4410392 STL
1.120	1.560	.875	.030	952-162	1.12 PLTD STEEL
1.149	1.560	.875	.030	952-163	1.149 PLTD STEEL
1.190	1.500	.875	.030	952-160	1.19 PLTD STEEL
1.218	1.500	.875	.030	952-281	1.218 PLTD STEEL
1.225	.968	1.000	.040	952-305	1.225 PLTD STEEL
1.246	1.500	.875	.030	952-282	1.246 PLTD STEEL
1.250	1.015	1.240	.035	951-482	1.250 PLTD STEEL
1.438	2.000	1.125	.030	952-283	1.438 PLTD STEEL
1.469	2.000	1.125	.030	952-284	1.469 PLTD STEEL
1.500	2.000	1.125	.030	952-285	1.500 PLTD STEEL
1.531	2.000	1.125	.030	952-286	1.531 PLTD STEEL